

Informacijski list proizvoda (HR)

Product information (ENG)

VIVAX



3
PLINSKIH PLAMENIKA



SUSTAV PROTIV SIROVO ŽELJEZO
ISTJECANJA PLINA



REŠETKE

Plinska ploča BH-3IT VCCI G

Dimenzija
60 cm

Tip ploče / Tip plina
NG + LPG

Napajanje / Snaga
220-240 V / 50-60 Hz

Površinski materijal
Staklokeramika

Ukupan broj područja za kuhanje
4

Ukupan broj plinskih plamenika
3 + 1 x Dual zone vitrokeramika

Snaga područja za kuhanje
Lijevi stražnji: Vitrokeramička dual zone ploča 1,5 kW,
Desni stražnji: Srednji plamenik 1,7 kW
Lijevi prednji: Veliki plamenik 2,9 kW
Desni prednji: Mali plamenik 0,95 kW

Rešetka plamenika
Sirovo željezo

Ostale funkcije
Elektroničko paljenje "all in one", Sustav zaštite od
istjecanja plina

Pribor
Pričvrtni nosači x4, Vijci x4, NG mlaznice , NG
Priključak za plinsko crijevo x 1; Upute za uporabu

Bruto / Neto težina
13,0 kg / 11,0 kg

Dimenzija paketa / Dimenzija uređaja
635 x 615 x 160 mm / 590 x 520 x 90mm

EAN Kod
3856005186570

SAP Kod
1255246

Tradicionalnost i modernost u jednom? Ova plinska ploča to može! Tradicionalni način obrade hrane plinom te kaljeno staklo upotpunjuje jedna Vitokeramička dvozonna ploča. Ova ploča unosi tradiciju i modernost u vašu kuhinju. Površinom lakom za održavanje, trendi rešetkama od sirovog željeza i snažnim plamenicima, ova ploča se također odlikuje i lakim održavanjem.



All in one - električno paljenje

VIVAX



3
PLINSKIH PLAMENIKA




SUSTAV PROTIV SIROVO ŽELJEZO
ISTJECANJA PLINA





REŠETKE

Plinska ploča BH-3IT VCCI G




Tradicionalnost i modernost u jednom? Ova plinska ploča to može! Tradicionalni način obrade hrane plinom te kaljeno staklo upotpunjuje jedna Vitokeramička dvozonna ploča. Ova ploča unosi tradiciju i modernost u vašu kuhinju. Površinom lakom za održavanje, trendi rešetkama od sirovog željeza i snažnim plamenicima, ova ploča se također odlikuje i lakim održavanjem.


UGRADNJA PROIZVODA



LPG > NG



NG > LPG



VIVAX



3
GAS BURNERS



SYSTEM AGAINST
GAS LEAKS



ENAMELED
GRID

Gas hob BH-31T VCCI G

Traditionality and modernity combined? This gas stove can do it! This panel brings tradition and modernity into your kitchen with its traditional way of cooking food with gas, along with its external tempered glass material. With its easy-to-maintain surface, enameled grates and powerful burners, this plate is also easy to maintain.

Dimensions
60 cm

Gas type
NG+LPG

Surface material
Glass ceramics

Total number of cooking areas
4

Total number of gas burners
3 + 1x Dual zone vitroveramic

Left rear: Vitoceramic dual zone plate 1.5 kW
Right rear: Middle burner 1.7 kW
Left front: Large burner 2.9 kW
Right front: Small burner 0.95 kW

Burner grid
Cast Iron

Accessories with the device
Fixing Brackets x4, Screws x4, NG Nozzles, NG Gas
Hose Connection x 1, Instruction Manual x 1

Gross / Net weight
13 kg / 11 kg

Package Dimension / Unit Dimension
635 x 615 x 160 mm / 590 x 520 x 90mm

EAN Code
3856005186570

SAP Code
1255246



VIVAX



3
GAS BURNERS




SYSTEM AGAINST
GAS LEAKS



ENAMELED
GRID

Gas hob BH-3IT VCCI G

Traditionality and modernity combined? This gas stove can do it! This panel brings tradition and modernity into your kitchen with its traditional way of cooking food with gas, along with its external tempered glass material. With its easy-to-maintain surface, enameled grates and powerful burners, this plate is also easy to maintain.



Required distances when installing the panel under the kitchen cabinet

Required distances when installing the panel under the kitchen hood

