

# VIVAX



## White goods

2023. / 2024.

# Content

## REFRIGERATORS AND FREEZERS

Refrigerators and freezers | Description of the functions

Refrigerators and freezers | Model functions

## WASHING MACHINES AND DRYERS

Washing machines and dryers | Description of the functions

Washing machines and dryers | Model functions

## DISHWASHERS

Dishwashers | Description of the functions

Dishwashers | Model functions

## KITCHEN COOKERS

Kitchen cookers | Description of the functions

Kitchen cookers | Model functions

## ELECTRIC WATER HEATERS

Electric water heaters | Description of the functions

Electric water heaters | Model functions

Overview of functions by models

5

6

13

19

20

24

27

28

31

33

34

36

41

42

43

44



# VIVAX warranty on devices

The VIVAX warranty covers any failure and malfunction of the device that occurred during the period covered by the warranty. Appliances are covered by a three-year and five-year warranty that is valid from the day of purchase until the end of the warranty period.

## VIVAX 5 YEAR FACTORY WARRANTY

The warranty on VIVAX refrigerators and freezers is 60 months. We believe in the quality of VIVAX refrigerators and freezers and guarantee their correctness for up to 5 years. This is a regular warranty on our devices, and no additional registration of the device is required after purchase in order to realize the warranty. You can find detailed information on warranty conditions and a list of authorized service providers at [vivax.com](http://vivax.com).

## VIVAX 3 YEAR FACTORY WARRANTY

The warranty of 36 months, i.e. 3 years, applies to cookers, washing machines, clothes dryers and dishwashers. It is a regular warranty on our devices, and after purchase, additional registration of the device is not required in order to realize the warranty. You can find detailed information on warranty conditions and a list of authorized service providers at [vivax.com](http://vivax.com).






# Technology that **preserves nature**

Years of work on product research and development enabled VIVAX to become a technology that is in harmony with nature. VIVAX devices are manufactured according to EU standards and in line with the norms. In addition to following all technological rules, VIVAX technology takes care of the environment and preserves it, and the materials used in them are easily recycled and do not pollute the environment.



## Refrigerators and freezers | Description of the functions



# Technology of compressor operation

VIVAX refrigerators have a specially developed compressor engine technology to provide maximum efficiency and quiet operation. In this way, they simultaneously save energy and time, and the food remains perfectly preserved. The offer includes many models with different functions and characteristics, but with one common goal – ecological and efficient food storage.





## ADJUSTABLE AND DURABLE SHELF


If more space is needed, the shelves in VIVAX refrigerators are as easy to remove as they are to be installed. They are made of durable glass\*, which, in addition to high load-bearing capacity, also has an elegant appearance and are easy to maintain.

However, it is necessary to pay attention to how heavy objects are and, if possible, place the food in such a way that the load is distributed evenly along the entire surface of the shelf. Each shelf can be adjusted in height, so every food item will find its place in the refrigerator.



## DIFFERENCE OF TEMPERATURE IN MEAT STORAGE AND VEGETABLES\*

Meat, unlike vegetables, has a shorter shelf life in the refrigerator, and such foods should be put in the freezer if they are not used within a few days. If such foods are kept in the refrigerator, they should be stored on the coldest possible shelves, while vegetables can also be kept at temperatures of approximately 8 degrees. Also, the "Fresh" drawers contribute to the preservation of vegetables and fruits, which create temperature and humidity that will extend the life of the food.



°C

-16

-18

-20

-22

-24



## PRECISE TEMPERATURE WITH DIGITAL CONTROLS\*

The temperature range of the refrigerator is between 2 °C — 8 °C and of the freezer between -16 °C — -24 °C.

The shelf life of food depends on the temperature in the refrigerator, so the temperature should always be kept ideal. At high temperatures, bacteria develop faster and food spoils more easily. Thus, the ideal temperature of the refrigerator is approximately 4 °C, while temperature of the freezer is approximately -18 °C.

Some models of refrigerators also have a "Fast Cool" function that intensively cools food in just 2,5 hours and then returns to initial settings.

\* Only available on certain models.



# Advantages of a combined refrigerator

Cooling and freezing food in one is the biggest advantage of this kind of device. The busy rhythm and lack of time make this refrigerator one of the greatest allies of every household. Lack of space is no longer a problem, because the VIVAX combined refrigerator successfully cools as well as freezes food, and all in one device.

There are a number of models available that, depending on the capacity, have from two to even five shelves in the refrigerator, several shelves in the door as well as several drawers in the freezer. In this way, depending on habits, there are models on offer that exactly match different needs and lifestyles.

## NO FROST TECHNOLOGY

No more tedious work of cleaning the ice accumulated on the walls of the freezer. With VIVAX "No Frost" technology, the freezer does not require periodic defrosting. The walls of the freezer are always free of ice accumulations, and the atmosphere inside the freezer is free of harmful moisture, which significantly affects the durability of food.

## LOW FROST TECHNOLOGY

Our "Low frost" technology contributes to the ease of use and maintenance of the refrigerator. With "Low frost" technology, the inner walls of the refrigerator are smooth and without a visible evaporator, which contributes to a larger useful volume, more efficient cooling with significantly less ice accumulation on the walls. With the help of "Low frost" technology, the period between two defrosts of your refrigerator will be significantly longer than before, and defrosting itself will be significantly faster and simpler.

CF-310D NFX





# Small but mighty

Small at first glance, however these models of VIVAX refrigerators are powerful allies in small spaces. They are an ideal choice for those who are looking for a reliable device that is also easy to use.

They will easily find a place in every kitchen, and if necessary, the door opening direction can be changed. Whether they will be placed in the kitchen, pantry or in a room of apartments and hotels, VIVAX mini refrigerators will successfully fulfill to their task - cooling and preserving food.



**Fruit**  
Low humidity



**Vegetables**  
High humidity



## Food storage

Proper food storage can greatly contribute to the preservation of their quality as well as their extended duration. The organization inside the refrigerator depends on the food itself, whereby the temperature at which certain foods are stored must first be taken into account. For example, fruits and vegetables have different conditions keeping away from meat products.

For this very reason, VIVAX refrigerators contain drawers that preserve the freshness of fruits and vegetables, foods that are more sensitive than others. Whether it's small models of refrigerators or large ones, VIVAX cares about the quality and preservation of food.



**TTL-93**

# D-Shape freezing technology

With two-way cooling technology, VIVAX freezers successfully maintain the temperature inside the walls of the device without allowing external conditions to affect the internal ones. With the correct arrangement of the evaporator inside the walls of the device, the food will be frozen equally, regardless of their arrangement. Whether the food is in a movable baskets or is freely placed inside the device – each is equally cooled and preserved.

## D-SHAPE FREEZER TECHNOLOGY

Quick – Quick freezing to preserve taste

Economical – Saves time and energy

Even – 360° even freezing


Strong – Stronger freezing

## TWO-WAY COOLING TECHNOLOGY



The correct arrangement of the evaporator allows even freezing of all food, regardless of their arrangement or position inside the freezer.

The inner wall of the freezer



# Freezing 360°

Thanks to our D-Shape technology, VIVAX freezers will economically and efficiently preserve food and save time and money. The large surface area of the evaporator in the "D" shape enables efficient temperature transfer from the evaporator to the walls of the freezer, which results in maximum and even freezing of a foods, regardless of their arrangement and position. Tubes placed inside the VIVAX freezer freeze food 360°, so the food will always be equally cooled and preserved.



## DOORS CUSTOMIZED FOR EVERYONE


No more holding the door with your hands. The freezer door stays open at an angle of 45° to 75°.

## WIRE BASKET

Each VIVAX horizontal freezer contains a wire basket for easier arrangement and freezing of food, as well as an aluminum interior for easier maintenance and cleaning.







# A thermostat that preserves food

VIVAX horizontal freezers have a thermostat with a variable temperature, which enables the storage of different foods without destroying their nutritional composition.

The control lights of the thermostat signal the operation of the compressor or warn of an increased temperature inside the freezer itself.

## ECO FRIENDLY FREEZERS

VIVAX freezers have high energy efficiency and freeze in such a way that in a shorter period of time the food freezes faster and more powerfully. In this way, our freezers save energy and time.

In addition, there is no long-term freezing process, which can often be fatal when it comes to the quality and preservation of food.



# Refrigerators and freezers | Overview of the functions by models

## CF-310DNF X



### Specifications

Refrigerator / Freezer capacity (L)	224 / 86
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	59,5 x 188 x 63



Combo refrigerator



No frost



LED light



Vegetable drawers



Adjustable shelves



Digital external display



Digital temperature control



Variable door adjustment



Large bottles shelf

## CF-310NF X



### Specifications

Refrigerator / Freezer capacity (L)	224 / 86
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	59,5 x 188 x 63



Combo refrigerator



No frost



LED light



Vegetable drawers



Adjustable shelves



Digital temperature control



Variable door adjustment



Large bottles shelf

## CF-260LF W



### Specifications

Refrigerator / Freezer capacity (L)	198 / 62
Energy efficiency	F
Noise (dB)	39
Dimension — W x H x D (cm)	54,5 x 180 x 58



Combo refrigerator



Low frost



LED light



Vegetable drawers



Adjustable shelves



Digital temperature control



Variable door adjustment



Large bottles shelf

## CF-174LF W / CF-174LF S



### Specifications

Refrigerator / Freezer capacity (L)	115 / 59
Energy efficiency	F
Noise (dB)	39
Dimension — W x H x D (cm)	47 x 150 x 51,1



Combo refrigerator



Low frost



LED light



Vegetable drawers



Adjustable shelves



Manual temperature control



Variable door adjustment



Large bottles shelf

## DD-207 WH / DD-207 S / DD-207 SL



### Specifications

Refrigerator / Freezer capacity (L)	166 / 41
Energy efficiency	F
Noise (dB)	40
Dimension — W x H x D (cm)	55 x 143 x 55



Two doors refrigerator



Adjustable shelves



Vegetable drawers



Variable door adjustment



Manual temperature control

## VL-235 W



### Specifications

Refrigerator capacity (L)	235
Energy efficiency	F
Noise (dB)	40
Dimension — W x H x D (cm)	55 x 142 x 55 cm



Freestanding refrigerator



Adjustable shelves



Vegetable drawers



Variable door adjustment



Manual temperature control



Large bottles shelf



## WE BRING YOU PEACE

VIVAX refrigerators are carefully designed and they are one of the quietest on the market. With a noise of 39 dB, you will have to open the door on some models to make sure they are really cooling.

And we provide you and your little ones peaceful and safe sleep.

## TTR-93+



### Specifications

Refrigerator / Freezer capacity (L)	68 / 12
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	47,2 x 85 x 45



Freestanding refrigerator



Vegetable drawers



Variable door adjustment



Manual temperature control

## TTR-93



### Specifications

Refrigerator / Freezer capacity (L)	83 / 10
Energy efficiency	F
Noise (dB)	42
Dimension — W x H x D (cm)	47,2 x 85 x 45



Freestanding refrigerator



Variable door adjustment



Manual temperature control

## TTL-93



### Specifications

Refrigerator capacity (L)	93
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	47,2 x 85 x 45



Freestanding refrigerator



Vegetable drawers



Variable door adjustment



Manual temperature control

## MF-45 / MF-45G\*



### Specifications

Refrigerator capacity (L)	43 / 45*
Energy efficiency	F
Noise (dB)	41 / 38*
Dimension — W x H x D (cm)	47,2 x 49,2 x 45



Freestanding refrigerator



Variable door adjustment



Manual temperature control

## Horizontal freezers

### CFR-421H



#### Specifications

Freezer capacity (L)	420
Energy efficiency	F
Noise (dB)	40
Dimension — W x H x D (cm)	144,8 x 85 x 72,1



D-freezing technology



Auto stop



2 x movable basket



Adjustable thermostat



Saves energy

### CFR-297H



#### Specifications

Freezer capacity (L)	297
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	111,4 x 84,2 x 63



D-freezing technology



Auto stop



Movable basket



Adjustable thermostat



Saves energy

### CFR-245H



#### Specifications

Freezer capacity (L)	245
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	100,2 x 84,2 x 59,7



D-freezing technology



Auto stop



Movable basket



Adjustable thermostat



Saves energy

### CFR-198



#### Specifications

Freezer capacity (L)	198
Energy efficiency	F
Noise (dB)	38
Dimension — W x H x D (cm)	80,2 x 85,4 x 55,9



D-freezing technology



Auto stop



Movable basket



Adjustable thermostat



Saves energy



## CFR-142



### Specifications

Freezer capacity (L)	142
Energy efficiency	F
Noise (dB)	38
Dimension — W x H x D (cm)	62,5 x 85,4 x 55,9



D-freezing technology



Auto stop



Movable basket



Adjustable thermostat



Saves energy

## Vertical freezer

## VF-157 WH



### Specifications

Freezer capacity (L)	160
Energy efficiency	F
Noise (dB)	42
Dimension — W x H x D (cm)	55 x 142 x 55



4 x drawers



1 x compartment



1 x shallow drawer



Saves energy



Adjustable thermostat

## TTF-60



### Specifications

Freezer capacity (L)	60
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	47,5 x 84,5 x 44,6



3 x drawers



Adjustable thermostat



Saves energy

## MFR-32



### Specifications

Freezer capacity (L)	31
Energy efficiency	F
Noise (dB)	41
Dimension — W x H x D (cm)	47,2 x 49,2 x 45



Adjustable thermostat



Saves energy

# Unique **VIVAX** assembly



## Washing machines and dryers | Description of the functions



# Many programs **and large capacity**

Taking care of laundry has never been simpler. VIVAX washing machines come in standard and smaller sizes, making them the perfect partner in doing tiring household work, and due to the different performance dimensions, their placement in the space is easy.

The offer includes washing machines with a capacity from 5 to 8 kilograms, as well as those with standard dimensions of 60 cm and slim models of only 40 cm. Regardless of which model you choose, one thing is certain – each will be an ally and each will turn taking care of the laundry into a fun housework.

**WFL-140714B**



## **ECO WASH function that protects the environment**

The ECO WASH function contributes to the preservation of the environment. More effective and efficient work, both for the household budget and for the environment.



## **MY CYCLE function made to please**

MY CYCLE is a personalized function; it depends on the needs and the clothes that everyone wears individually.

The washing cycle is adjusted according to needs and habits, and the VIVAX washing machine will do the rest.



## **QUICK 15' i DAILY 45' function for easier everyday life**

Washing clothes in a cycle lasting only 45 minutes, or refreshing it in just 15 minutes. Fast but efficient.

## **WATER CONSUMPTION AND SAVING AT THE SAME TIME**

Sounds like the future, doesn't it?

With VIVAX washing machines, the future is right now.

Thanks to the very high energy efficiency, each time you wash your clothes, water is saved, thus protecting the environment as well as the household budget.

Depending on the needs and the number of household members, it is necessary to choose a model that suits everyone.






## EASY LOADING

Washing machine doors are large enough and at the same time ensures easy loading and unloading. Drum technology with a honeycomb structure ensures efficient washing and protection of the clothes.



## SOFT OPENING TECHNOLOGY

Drum of the washing machine opens smoothly and ensures easy loading of laundry without sudden closing or tearing of the hinges of the opening of the drum.



# Top loading model for just about any space

VIVAX washing machines with top loading are ideal for small spaces, but very efficient. Although its size would mislead many, this particular washing machine contains everything you need in only 40 cm. Loading the washing machine is as simple as emptying it – once the wash is finished. With a honeycomb drum, this washing machine reduces friction and ensures that every piece of clothing is perfectly washed and refreshed, and its small size makes it ideal for placement in small apartments and bathrooms.





## CARING FOR YOUNGSTERS' CLOTHES IS AN IMPORTANT TASK

And we take it very seriously.

The Baby Care washing program is intended for the care of laundry for the youngest as well as for laundry of delicate fabrics. With a special way of turning the drum and an additional rinsing cycle, the fabric is cleaned of allergens and bacteria, and the youngest and most sensitive can peacefully sink into the smells of freshly washed laundry.


## STERILIZATION FUNCTION\*

A washing machine, just like any other household appliance, requires care and cleaning. The drum cleaning function thus is absolutely necessary in order to be prevented from calculus and the retention and reproduction of bacteria.

In order to keep the washing machine drum clean and functioning, it is recommended to do this several times a year in order to ensure flawless operation of the washing machine and laundry without bacterium.

## COTTON 90°

VIVAX washing machines successfully kills bacteria and leave the clothes fresh, clean and bacteria-free. It is well known how many bacteria remain on clothes and in the washing machine itself, therefore, in addition to using agents that disinfect the laundry, the laundry can be washed at higher temperatures as well as on the programs intended for removing bacteria. Because VIVAX cares about health.



**External  
drum**

**Inner  
drum**

# Dryer or washer-dryer? We have them both

As a perfect addition to the VIVAX washing machine, there are VIVAX dryers. And if there is a lack of space to put them both, there is the VIVAX washer-dryer, a device that will successfully replace both devices. Whether you choose a dryer or a washer-dryer, both are equipped with plenty of programs and large capacity. Therefore, with just a few keystrokes, your favorite program is set, and VIVAX will do the rest.

And if the question is whether clothes made of sensitive fabrics are safe, the answer is – yes. Special programs created to preserve even the most delicate fabrics such as silk and wool for VIVAX dryers is a simple task. With reduced drum revolutions and a lower temperature, it will wash just as effectively delicate laundry just as if it were ordinary cotton. And what will make everyday life easier is the “Anti-crease” function, which reduces creases and makes it easier or completely eliminates the tedious work of ironing.

**CDR-0816B**

## **A clothes dryer with a large capacity and lots of programs**

VIVAX condensing dryer CDR-0816B helps to dry clothes efficiently. With its large capacity of 8 kg, it is ideal for large families. With 16 programs, it provides different possibilities and choices when drying laundry. There are programs for drying woolen, synthetic or denim clothes, as well as additional programs such as Child Lock and Anti-creasing programs.



**WDF-1408D616BS**

## **A washing machine with a tumble dryer that shatters prejudices**

VIVAX washing machine with condensation dryer WDF-1408D616BS is ideal for saving space, small apartments or houses. Rich in programs and functions, it will be of a great help to every household. Whether it is a short washing program of only 15 minutes or washing cotton at high temperatures and then drying the clothes, this washer-dryer will successfully complete any task.



programs



# Washing machines and dryers | Overview of the functions by models

## WFL-140714B



### Specifications

Capacity (kg)	7
Energy efficiency	B
Number of programs / Spin	14 / 1400
Dimension — W x H x D (cm)	59,5 x 85 x 49,5



Large doors



ECO wash



45° wash



Quick 15° wash



Sterilization



Delicate laundry



Wool laundry



LED display

## WFL-120615B



### Specifications

Capacity (kg)	6
Energy efficiency	E
Number of programs / Spin	15 / 1200
Dimension — W x H x D (cm)	59,5 x 85 x 47



Delicate laundry



ECO wash



45° wash



Quick 15° wash



Wool laundry



LED Display

## WFL-100615BS



### Specifications

Capacity (kg)	6
Energy efficiency	E
Number of programs / Spin	15 / 1000
Dimension — W x H x D (cm)	59,5 x 85 x 40



Slim model



ECO wash



45° wash



Quick 15° wash



Wool laundry



Delicate laundry



LED display

## WFL-100523BS



### Specifications

Capacity (kg)	5
Energy efficiency	E
Number of programs / Spin	23 / 1000
Dimension — W x H x D (cm)	59,5 x 85 x 40



Slim model



ECO wash



45° wash



Quick 15° wash



Drum clean



Delicate laundry



Wool laundry



Start delay



WTL-120715B



Specifications

Capacity (kg)	7
Energy efficiency	D
Number of programs / Spin	15 / 1200
Dimension — W x H x D (cm)	40 x 87,5 x 61



ECO wash



45' wash



Quick 15' wash



Start delay



Wool laundry

WDF-1408D616BS - Washer-dryer



Specifications

Washing capacity / Drying (kg)	8 / 6
Energy efficiency	E
Number of washing-drying / Spin	10+6 / 1400
Dimension — W x H x D (cm)	59,5 x 85 x 47,5



2+1 Washer dryer



ECO function



Intensive wash



Quick 15' wash



Wool laundry



Only drying



Drying 1h



LED display

CDR-0816B - Dryer, condensation



Specifications

Capacity (kg)	8
Energy efficiency	B
Number of programs	16
Dimension — W x H x D (cm)	59,5 x 84,5 x 61,5



Anti-crease function



Anti-bacteria filter



Refresh function



Start delay



Economy mode



Only drying



Drying 1h



LED display

ECO WASH FUNCTION


Save and preserve energy with the "ECO Wash" function. The program is intended for washing cotton clothes or durable materials such as linen.



Devices made for you.  
So that you can worry less and **enjoy more**  
in your home.



## Dishwashers | Description of the functions





# Lots of **programs**

VIVAX dishwashers were created to make everyday life easier and put the tedious work of washing dishes aside forever. Depending on the model and capacity, they have one thing in common – they are rich in programs and perform their work superbly.

## **Half load** function\*

VIVAX dishwashers have a “Half load” function, during which you can choose which basket the washing machine will wash.

Saves  
energy



Saves  
water



1/2



### **DRAWER FOR CUPS WITH HOLDERS**

The easily accessible cup basket pulls out all the way and offers the possibility of filling and emptying without hassle.

### **CUTLERY HOLDER**

The cutlery basket keeps all utensils together and makes it easier to clean and sort them.

### **FOLDING PLATE HOLDER**

The flexibility of the dishwasher is also distinguished by the foldable plate holders, so the interior of the dishwasher can be adapted to everyone's needs and habits.

### **WHEELS**

Easy extraction of baskets with the VIVAX wheel system. No jamming.


### **CRYSTAL CLEAN**

With VIVAX dishwashing technology, the glasses will shine and retain their original shine.



### **PROTECTION AGAINST BACTERIA**

The three-layer filter inside VIVAX dishwashers successfully stops bacteria formed on food residues. However, it is important to clean it in order to extend the life of the device.





# Small in size, but effective

VIVAX dishwashers come in two sizes, the standard ones that are 60 cm wide and the narrower ones that are only 45 cm wide. Designed for smaller spaces and households with a smaller number of people, VIVAX dishwashers, regardless of size, will perform just as well as larger capacity models.

**DW-45942B**

## MACHINE WASH VS. HANDWASH

In addition to saving energy, washing dishes by machine also saves time. And besides being ecologically oriented, VIVAX dishwashers also have filters that retain bacteria formed on dirty dishes and thus protect against bacteria, leaving the dishes hygienically clean.

In addition, research shows that hand washing\*\* uses up to 10 times more water than machine washing\*.

**4**  
intelligent  
programs



# Dishwashers | Overview of the functions by models

## DW-601663B X



### Specifications

Number of programs / Sets	6 / 14
Energy efficiency	E
Noise (dB)	49
Dimension — W x H x D (cm)	60 x 84,5 x 59,8



Sets



Flexible baskets



Third basket



Extra drying



Quick wash



Intensive wash




Half-load function



Start delay

## DW-601242B



### Specifications

Number of programs / Sets	4 / 12
Energy efficiency	E
Noise (dB)	49
Dimension — W x H x D (cm)	60 x 84,5 x 59,8



Sets



Flexible baskets



Quick wash



Half load



Intensive wash

## DW-45942B



### Specifications

Number of programs / Sets	4 / 9
Energy efficiency	E
Noise (dB)	49
Dimension — W x H x D (cm)	45 x 84,5 x 60



Sets



Flexible baskets



Half-load function



Quick wash



Intensive wash

## EXTRA DRY FUNCTION


Even faster and more efficient drying of dishes with the new VIVAX "Extra dry" function.



# Stove and oven in one device

VIVAX cookers, in addition to cooking, are also used for preparing the most delicious cakes and food from the oven.

The choice is large, but one thing is certain - they are all reliable and made according to the strictest standards.



## Freestanding cookers | Description of the functions



# Food **preparation style**

By choosing one of the three methods of preparing food on VIVAX cookers, it is possible to enjoy the perfect taste. The range of VIVAX cookers includes gas cookers with a heating plate, cookers with just heating plates and cookers with just ceramic plates. In each of the categories there are many models that will fit perfectly into any kitchen. In addition, each of the cookers contains an oven, which, depending on the model, has certain options and capacities.

## **Gas / Gas + electric plate**

The offer includes models exclusively with gas burners or a combination of gas and heating plates.



## **Ceramic plates**

VIVAX cooker model with ceramic plates and oven.



## **Electric plates**

VIVAX cooker model with heating plates and oven.






# Cooking on gas burners

The secret of perfect food preparation is in the details, and the secret of perfect food preparation on VIVAX cookers is in its burner. The gas can be adjusted with just one stroke of the hand.

The simplicity of the VIVAX cookers will make it possible to adjust the gas from the lowest flame to the strongest with just one stroke, while sliding your hand to one side or the other. Lightly simmering sauce or powerfully frying meat, both will be done simply and with ease on the VIVAX cookers.



## EASY TEMPERATURE CONTROL

Adjusting the flame strength with a simple button on your cooker. Choose between 4 strengths and show that you are a real master in the kitchen.

### Low flame

Ideal for melting chocolate or butter.



### Medium low flame

Ideal for boiling pasta or vegetables.



### Medium flame

Ideal for frying or quick food processing.



### Strong flame

Ideal for deep-frying meat.



# Preparation on ceramic plates

To reach the desired temperature faster when cooking, there are VIVAX cookers with ceramic plates.

They are characterized by simple maintenance and cleaning of the surface, easy selection of the heating level, and what is also important is the vertical heating of dishes without loss of energy.

### Maintenance

Simple and easy surface cleaning.



### Temperature selection

Simple temperature selection with one movement.



### Vertical heating

No loss of energy.



# Freestanding cookers | Overview of the functions by models

Combined gas-electric cookers

## FC-31602 X



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	64
Number of Cooking programs	5
Dimension — W x H x D (cm)	59,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid



Fan  
in oven



5 cooking  
programs

## FC-31602 BLX



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid



3 cooking  
programs

## FC-31602IF WH



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	64
Number of Cooking programs	5
Dimension — W x H x D (cm)	59,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid



Fan  
in oven



5 cooking  
programs

## FC-31602I WH



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid



3 cooking  
programs

## FC-31602 WH



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



Enameled  
grid



3 cooking  
programs

## FC-31502 WH



### Specifications

Hob type	3 x gas + 1 x hot plate
Oven volume (L)	52
Number of Cooking programs	3
Dimension — W x H x D (cm)	49,5 x 85 x 65



3 x  
gas



1 x hot  
plate



Gas leak  
protection



Enameled  
grid



3 cooking  
programs

## FC-22602 WH



### Specifications

Hob type	2 x gas + 2 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



2 x  
gas



2 x hot  
plate



Gas leak  
protection



Enameled  
grid



3 cooking  
programs

## FC-22502 WH



### Specifications

Hob type	2 x gas + 2 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	49,5 x 85 x 65



2 x  
gas



2 x hot  
plate



Gas leak  
protection



Enameled  
grid



3 cooking  
programs

## Electric cookers

### FC-04602 WH



#### Specifications

Hob type	4 x hot plate
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



4 x hot  
plate



3 cooking  
programs

### FC-04502VCF WH



#### Specifications

Hob type	4 x VC hot plate
Oven volume (L)	52
Number of Cooking programs	5
Dimension — W x H x D (cm)	49,5 x 85 x 65



4 x VC  
grijača ploča



Gas leak  
protection



All-in-one  
ignition



Fan  
in oven



5 cooking  
programs

### FC-04502 WH



#### Specifications

Hob type	4 x hot plate
Oven volume (L)	52
Number of Cooking programs	3
Dimension — W x H x D (cm)	49,5 x 85 x 65



4 x hot  
plate



3 cooking  
programs



Gas cookers

FC-40602I WH



Specifications

Hob type	4 x gas
Oven volume (L)	64
Number of Cooking programs	3
Dimension — W x H x D (cm)	59,5 x 85 x 65



4 x  
gas



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid



3 cooking  
programs

FC-40502I WH



Specifications

Hob type	4 x gas
Oven volume (L)	52
Number of Cooking programs	3
Dimension — W x H x D (cm)	50 x 85 x 65



4 x  
gas



Gas leak  
protection



All-in-one  
ignition



Enameled  
grid

ALWAYS PERFECTLY BAKED

Thanks to the even air circulation, regardless of whether you are grilling meat or delicious cakes, the results will always be perfect.

Choose one of the programs on your oven and enjoy in delicious meals.



# Ideal **water temperature**

Relaxing atmosphere in the bathroom and perfect water temperature with VIVAX water heaters.



## Electric water heaters | Description of the functions








# Main advantages

One of the biggest challenges every household faces is the amount and consumption of a hot water. The larger the number of household members, the higher is a water consumption, and therefore the bills.

VIVAX electric water heaters economically and efficiently heat water and reduce the bills that come every month. Please see the table below that shows the required amount of water depending on the number of people in the household and the necessary activities.



## Purpose according to a load profile (3 XS — XXL)

- L - kitchen, household laundry, showering and bathing  
- 3-4 shower standards (uninterrupted water flow)
- M - kitchen, household laundry, showering and bathing  
- 2 shower standards (uninterrupted water flow)

## Energy efficiency

## Noise level during heater operation (dB)

## Average consumption kWh / year (kWh / annum)

## EASY TEMPERATURE ADJUSTMENT

Simple temperature control with the rotary button on the VIVAX electric heater.

The button turns in one direction or the other, depending on whether a hotter or colder water temperature is required.





# Electric water heaters | Overview of the functions by models

## EWH-50VR



### Specifications

Volume (L)	50
Heater power (W)	2000
Tank type	Enameled cauldron
Load profile (3 XS - XXL)	M



Electric water heater



Volume



2000 W heater power




Load profile



Enameled cauldron

### Size of the household




### Electric water heater type

**EWH-50VR**

**EWH-80VR**

### Warm water



## EWH-80VR



### Specifications

Volume (L)	80
Heater power (W)	2000
Tank type	Enameled cauldron
Load profile (3 XS - XXL)	L



Electric water heater



Volume



2000 W heater power



Load profile



Enameled cauldron

## Hot water capacity

The capacity of the electric water heater and the amount of hot water produced by it determines the actions that can be done within a certain time frame.

Thus, for example, the VIVAX Electric water heater EWH-50VR heats a sufficient amount of a water for continuous showering and washing by one or two people.

Unlike it, the VIVAX Electric Electric water heater EWH-80VR heats a sufficient amount of water for the uninterrupted action of showering, bathing and washing three or more people.

# Freestanding combo refrigerators



Model	CF-310D NFX	CF-310 NFX	CF-260 LFW	CF-174 LF W
<b>Net volume</b>				
Total Net volume (L)	310 L	310 L	260 L	174 L
Refrigerator (L)	224 L	224 L	197 L	115 L
Freezer (L)	86 L	86 L	65 L	59 L
<b>Technology</b>				
Climate Class / Freezer star	N, ST /	N, ST /	ST, N /	ST, N /
Energy efficiency / Noise	F / 41 dB	F / 41 dB	F / 39 dB	F / 39 dB
Refrigerator technology	No Frost	No Frost	Conventional	Conventional
Freezer technology	No Frost	No Frost	Low Frost	Low Frost
<b>Specifications</b>				
Material / Color	Metal / Inox	Metal / Inox	Metal / White	Metal / White
Door opening	Adjustable	Adjustable	Adjustable	Adjustable
Display	LED Display (external)	LED Display (inside)	-	-
Temperature control	Digital	Digital	Digital	Digital
Light type	LED lamp	LED lamp	LED lamp	LED lamp
<b>Other specifications</b>				
Number of refrigerator shelves	4	4	4	3
Number of refrigerator drawers	1	1	1	1
Number of shelves in the refrigerator door	5	5	3	3
Number of freezer drawers	3	3	2	2
<b>Dimension / Weight</b>				
Neto Dimension — W x H x D (cm) / Net Weight (kg)	59,5 x 188 x 63 cm / 62,0 kg	59,5 x 188 x 63 cm / 62,0 kg	54,5 x 180 x 58 cm / 53,5 kg	47 x 150 x 51,1 cm / 34,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	65,7 x 191 x 68,8 cm / 68,0 kg	65,7 x 191 x 68,8 cm / 68,0 kg	58 x 188 x 62 cm / 48,0 kg	50,5 x 152 x 54,5 cm / 47,0 kg







Model	CF-174 LF S	DD-207SL	DD-207S	DD-207WH
-------	-------------	----------	---------	----------

#### Net volume

Total Net volume (L)	174 L	207 L	207 L	207 L
Refrigerator (L)	115 L	166 L	166 L	166 L
Freezer (L)	59 L	41 L	41 L	41 L

#### Technology

Climate Class / Freezer star	ST, N / 	N, ST / 	N, ST / 	N, ST / 
Energy efficiency / Noise	F / 39 dB	F / 40 dB	F / 40 dB	F / 40 dB
Refrigerator technology	Conventional	Conventional	Conventional	Conventional
Freezer technology	Low Frost	Conventional	Conventional	Conventional

#### Specifications

Material / Color	Metal / Inox	Metal / Srebrna	Metal / Inox	Metal / White
Door opening	Adjustable	Adjustable	Adjustable	Adjustable
Display	-	-	-	-
Temperature control	Digital	Manual	Manual	Manual
Light type	LED lamp	LED lamp	LED lamp	LED lamp

#### Other specifications

Number of refrigerator shelves	3	3	3	3
Number of refrigerator drawers	1	1	1	1
Number of shelves in the refrigerator door	3	1	1	1
Number of freezer drawers	2	3	3	3

#### Dimension / Weight

Neto Dimension — W x H x D (cm) / Net Weight (kg)	47 x 150 x 51,1 cm / 34,0 kg	55 x 143 x 55 cm / 38,5 kg	55 x 143 x 55 cm / 38,5 kg	55 x 143 x 55 cm / 38,5 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	50,5 x 152 x 54,5 cm / 37,0 kg	58,5 x 146,2 x 58,5 / 43,0 kg	58,5 x 146,2 x 58,5 / 43,0 kg	58,5 x 146,2 x 58,5 / 43,0 kg

# Freestanding refrigerators



Model	VL-235 W	TTL-93	TTR-93+	TTR-93
<b>Net volume</b>				
Total Net volume (L)	235 L	93 L	80 L	93 L
Refrigerator (L)	235 L	93 L	68 L	83 L
Freezer (L)	-	-	12 L	10 L
<b>Technology</b>				
Climate Class / Freezer star	N, ST / -	ST, N / -	N, T, ST / -	N, T, ST / -
Energy efficiency / Noise	F / 40 dB	F / 41 dB	F / 41 dB	F / 42 dB
Refrigerator technology	Conventional	Conventional	Conventional	Conventional
Freezer technology	-	Conventional	Conventional	Conventional
<b>Specifications</b>				
Material / Color	Metal / White	Metal / White	Metal / White	Metal / White
Door opening	Adjustable	Adjustable	Adjustable	Adjustable
Display	-	-	-	-
Temperature control	Manual	Manual	Manual	Manual
Light type	LED lamp	LED lamp	LED lamp	LED lamp
<b>Other specifications</b>				
Number of refrigerator shelves	4	3	2	3
Number of refrigerator drawers	1	1	1	-
Number of shelves in the refrigerator door	4	3	3	3
Number of freezer drawers	-	-	-	-
<b>Dimension / Weight</b>				
Neto Dimension — W x H x D (cm) / Net Weight (kg)	55 x 142 x 55 cm / 37,0 kg	47,2 x 85 x 45 cm / 20,0 kg	47,2 x 85 x 45 cm / 20,2 kg	47,2 x 85 x 45 cm / 20,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	58,5 x 144 x 58,5 cm / 40,0 kg	49 x 89 x 46 cm / 22,0 kg	51 x 87,5 x 46,5 cm / 22,0 kg	51 x 87,5 x 46,5 cm / 22,0 kg



# Mini refrigerators



Model	MF-45 G	MF-45
<b>Net volume</b>		
Total Net volume (L)	45 L	43 L
Refrigerator (L)	45 L	43 L
Freezer (L)	-	-
<b>Technology</b>		
Climate Class / Freezer star	N, ST / -	N, ST / -
Energy efficiency / Noise	F / 38 dB	F / 41 dB
Refrigerator technology	Conventional	Conventional
Freezer technology	-	Conventional
<b>Specifications</b>		
Material / Color	Metal / White	Metal / White
Door opening	Adjustable	Adjustable
Display	-	-
Temperature control	Manual	Manual
Light type	LED light	LED light
<b>Other specifications</b>		
Number of refrigerator shelves	1	1
Number of refrigerator drawers	-	-
Number of shelves in the refrigerator door	2	2
Number of freezer drawers	-	-
<b>Dimension / Weight</b>		
Neto Dimension — W x H x D (cm) / Net Weight (kg)	47,2 x 49,2 x 45 cm / 13,6 kg	47,2 x 49,2 x 45 cm / 13,9 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	52 x 52 x 46,5 cm / 15,2 kg	52 x 52 x 46,5 cm / 15,0 kg

# Horizontal freezers






Model	CFR-421H	CFR-297H	CFR-245H	CFR-198	CFR-142
-------	----------	----------	----------	---------	---------

## Net volume

Total Net volume (L)	420 L	297 L	245 L	198 L	142 L
----------------------	-------	-------	-------	-------	-------

## Technology

Climate Class / Freezer star	SN, N, ST, T / 	SN, N, ST, T / 	SN, N, ST, T / 	SN, N, ST, T / 	SN, N, ST, T / 
Energy efficiency / Noise	F / 40 dB	F / 41 dB	F / 41 dB	F / 38 dB	F / 38 dB
Freezer technology	Conventional	Conventional	Conventional	Conventional	Conventional

## Specifications

Material / Color	Metal / White	Metal / White	Metal / White	Metal / White	Metal / White
Door opening	Upwards	Upwards	Upwards	Upwards	Upwards
Display	-	-	-	-	-
Temperature control	Manual	Manual	Manual	Manual	Manual
Light type	LED light	LED light	LED light	LED light	LED light

## Other specifications

Number of shelves in freezer	-	-	-	-	-
Number of racks in freezer	2	1	1	1	1

## Dimension / Weight

Neto Dimension — W x H x D (cm) / Net Weight (kg)	144,8 x 85 x 72,1 cm / 59,0 kg	111,4 x 84,2 x 63 cm / 37,0 kg	100,2 x 84,2 x 59,7 cm / 34,0 kg	80,2 x 85,4 x 55,9 cm / 30,0 kg	80,2 x 85,4 x 55,9 cm / 27,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	148,3 x 89 x 74,1 cm / 64,0 kg	114,5 x 88 x 64,7 cm / 41,0 kg	103,1 x 88,8 x 62,3 cm / 36,0 kg	83,3 x 89 x 57,5 cm / 33,0 kg	83,3 x 89 x 57,5 cm / 29,0 kg

# Vertical freezers






Model	VF-157	TTF-60	MFR-32
-------	--------	--------	--------

## Net volume

Total Net volume (L)	160 L	60 L	31 L
----------------------	-------	------	------

## Technology

Climate Class / Freezer star	N, ST / 	N, ST, T / 	N, ST / 
Energy efficiency / Noise	F / 42 dB	F / 41 dB	F / 41 dB
Freezer technology	Conventional	Conventional	Conventional

## Specifications

Material / Color	Metal / White	Metal / White	Metal / White
Door opening	Adjustable	Adjustable	Adjustable
Display	-	-	-
Temperature control	Manual	Manual	Manual
Light type	-	-	-

## Other specifications

Number of shelves in freezer	1	-	1
Number of freezer drawers	5	3	-

## Dimension / Weight

Neto Dimension — W x H x D (cm) / Net Weight (kg)	55 x 142 x 55 cm / 42,0 kg	47,5 x 84,5 x 44,6 cm / 20,0 kg	47,2 x 49,2 x 45 cm / 15,5 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	58,5 x 144 x 58,5 cm / 47,0 kg	49 x 85 x 46 cm / 22,3 kg	52 x 50,3 x 46,5 cm / 17,0 kg

# Washing machines and dryers



Model	WFL-140714B	WFL-120615B	WFL-100615BS	WFL-100523BS	WTL-120715B
-------	-------------	-------------	--------------	--------------	-------------

Main Specifications					
Product type	Washing machine	Washing machine	Washing machine	Washing machine	Washing machine (slim)
Capacity (kg)	7 kg	6 kg	6 kg	5 kg	7 kg
Spin (rpm/min)	1400 rpm/min	1200 rpm/min	1000 rpm/min	1000 rpm/min	1200 rpm/min
Number of Programs	14	15	15	23	15
Load	Front load	Front load	Front load	Front load	Top load

Technology					
Energy efficiency (A-G)	B	E	E	E	D
Noise (dB)	76 dB	80 dB	80 dB	80 dB	80 dB
Display	LCD Display	LED Display	LED Display	-	-

Other specifications					
Washing programs	Cotton, Quick 15", Rapid 45", Wash 60", ECO 40°-60°, Intensive, Rinse & Spin, Spin only, Wash 20 °C, Wool, Delicate, Mix, Synthetic, Sport Wear, Sterilization	Cotton, Synthetic, Mix wash, Jeans, ECO 40-60, 20 °C wash, Spin only, Rinse & Spin, Baby wash, Bedding, Wool, Sports, Quick 15", Rapid 45"	Cotton, Synthetic, Mix wash, Jeans, ECO 40-60, 20 °C, Spin only, Rinse & Spin, Baby wash, Baby wash, Bedding, Wool, Sports, Quick 15", Rapid 45"	Synthetic, Synthetic 40 °C, Cold wash, Cold wash 20 °C, Cotton 30 °C, Cotton 40°C, Cotton 60 °C, Cotton 90°C, ECO 40-60°, Cotton intensive 40°, Cotton intensive 60°, Drum clean, Spin only, Drain only, Rinse & Spin, Delicate, Delicate 30°, Ends in 3 h, 6 h, 9 h, Rapid 45", Rapid 30", Quick wash 15"	Cotton cold, Cotton 30 °C, Cotton 40 °C, Cotton 60 °C, Hygienic 90 °C, Delicate, ECO 40-60, Spin only, Drain water, Rinse & Spin, Jeans, Mix 60 °C, Mix 40 °C, Delicate 20 °C, Rapid 45', Quick 15'
Additional buttons	Delay wash, Spin, Temperature, Function button, On/Off, Start/Pause	Delay wash, Spin, Temperature, Function button, Drum clean, Start/Pause	Delay, Spin, Temperature, Function button, Drum clean, Start/Pause	Prewash, No Spin, Additional Rinse, Start/Pause	Spin , Delay wash, Function button, Start/Pause

Dimension / Weight					
Neto Dimension — W x H x D (cm) / Net Weight (kg)	59,5 x 85 x 49,5 cm / 61,0 kg	59,5 x 85 x 47 cm / 57,0 kg	59,5 x 85 x 40 cm / 52,0 kg	59,5 x 85 x 40 cm / 52,0 kg	40 x 87,5 x 61 cm / 56,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	65 x 88,5 x 57,5 cm / 65,0 kg	65 x 88,5 x 55,5 cm / 60,0 kg	65,5 x 88,5 x 50 cm / 54,0 kg	65 x 88,5 x 50 cm / 54,0 kg	49 x 89,5 x 69 cm /60,0 kg



# Washing machines and dryers



Model	WDF-1408D615BS	CDR-0816B
-------	----------------	-----------

Main Specifications		
Product type	Washing machine-dryer	Condenser, dryer
Washing load capacity pranja (kg) / Drying load capacity (kg)	8 kg / 6 kg	- / 8 kg
Spin (rpm/min)	1400 rpm/min	-
Number of Programs washing /Drying	16	16
Load	Front load	Front load

Technology		
Energy efficiency (A-G)	E	B
Noise (dB)	76 dB	69 dB
Display	LED Display	LED Display

Other specifications		
Washing programs	Quick 15", Rapid 45", Sensitive 20 °C, Jeans, ECO 40-60 °C, Intensive, Rinse & Spin, Spin only, Baby care, Wool, Delicate, Mixed, Synthetic, Sports, Cotton, Fav. program (My cycle)	-
Drying programs	Wash & Dry 1h, Dry only, Wash & Dry, Mix laundry dry, Jeans, Cotton, Sports, Synthetic, Wool	Cotton extra, Cotton standard, Cotton ready for ironing, Delicate, Mix, Synthetic extra drying, Synthetic standard drying, Wool, Quick refresh, Cool refresh, Quick refresh with heating, Jeans, Bedding, Sports, Shirts, Fav. program settings (My Cycle)
Additional buttons	Delay wash, Temperature, Spin, Dry level, On/Off, Start/Pause	Delay timer, Adjusting the duration of fast programs, Drying intensity, Anti-creasing, On/Off, Start/Pause

Dimension / Weight		
Neto Dimension — W x H x D (cm) / Net Weight (kg)	59,5 x 85 x 47,5 cm / 65,0 kg	59,5 x 84,5 x 61,5 cm / 41,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	65 x 88,5 x 55,5 cm / 68,0 kg	66 x 88 x 68 cm / 44,0 kg

# Washing machines



Model	DW-601663B X	DW-601242B	DW-45942B
<b>Main Specifications</b>			
Type, color	Freestanding, inox	Freestanding	Freestanding
Capacity (sets)	14	12	9
Number of Programs	6	4	4
<b>Technology</b>			
Energy efficiency (A-G)	E	E	E
Noise (dB)	49 dB	49 dB	49 dB
Display	LED signalization	LED signalization	LED signalization
<b>Characteristics</b>			
Programs	Intensive, Universal, ECO, Glasses, 90 min, Quick wash	Intensive, ECO, 90 min, Quick wash	Intensive, ECO, 90 min, Quick wash
Additional buttons	On/Off, Program selection, Extra drying, Half load, Timer, Start/Pause	On/Off, Program selection, Half load, Start/Pause	On/Off, Program selection, Half load, Start/Pause
Number of baskets	3	2	2
Upper / Bottom spray arm	Yes / Yes	Yes / Yes	Yes / Yes
Sprinkler on the top	Yes	No	No
Basket accessories	Upper + lower basket with foldable racks; 3rd cutlery basket; Upper basket foldable shelves; Adjustable upper basket height	Upper + lower basket with foldable racks; Cutlery basket; Upper basket foldable shelves; Adjustable upper basket height	Upper + lower basket with foldable racks; Cutlery basket; Upper basket foldable shelves; Adjustable upper basket height
Accessories	Salt funnel, Connection pipes, Instruction manuals, Energy label	Salt funnel, Connection pipes, Instruction manuals, Energy label	Salt funnel, Connection pipes, Instruction manuals, Energy label
Water overflow protection	Yes	Yes	Yes
Display	LED signalization	LED signalization	LED signalization
<b>Dimension / Weight</b>			
Neto Dimension — W x H x D (cm) / Net Weight (kg)	60 x 84,5 x 59,8 cm / 42,8 kg	60 x 84,5 x 59,8 cm / 40,1 kg	45 x 84,5 x 60 cm / 37,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	64,5 x 89 x 64,5 cm / 43,5 kg	64,5 x 89 x 64,5 cm / 42,0 kg	49,5 x 89 x 64,5 cm / 38,0 kg

# Freestanding cookers



Model	FC-31602 X	FC-31602 BLX	FC-31602 WH	FC-31602I WH	FC-31602IF WH	FC-31502 WH	FC-22502 WH
-------	------------	--------------	-------------	--------------	---------------	-------------	-------------

## Main Specifications

Hob type	3 gas + 1 electric hob	3 gas + 1 electric hob	3 gas + 1 electric hob	3 gas + 1 electric hob	3 gas + 1 electric hob	3 gas + 1 electric hob	2 gas + 2 electric hob
Color / Material	Silver / Inox	Silver / Inox	White / Painted metal	White / Painted metal	White / Painted metal	White / Painted metal	White / Painted metal
Top cover	Yes	Yes	Yes	No	No	Yes	Yes
Energy efficiency (A-G)	A	A	A	A	A	A	A

## Stove technology

Pan support	Enameled iron	Enameled iron	Enameled iron	Enameled iron	Enameled iron	Enameled iron	Enameled iron
Upper left hot plate power (W)	1000 W	1000 W	1000 W	1000 W	1000 W	1000 W	1500 W
Lower left hot plate power (W)	2500 W	2500 W	2500 W	2500 W	2500 W	2500 W	1000 W
Upper right hot plate power (W)	1700 W	1700 W	1700 W	1700 W	1700 W	1700 W	900 W
Lower right hot plate power (W)	900 W	900 W	900 W	900 W	900 W	900 W	2500 W

## Oven technology

Oven volume (L)	64 L	64 L	64 L	64 L	64 L	52 L	52 L
Low / Top heater power (W)	1300 W / 850 W	1300 W / 850 W	1300 W / 850 W	1300 W / 850 W	1300 W / 850 W	800 W / 650 W	800 W / 650 W
Number of cooking programs	5	3	5	3	5	3	3
Cooking programs	Top, Bottom, Top+Bottom, Fan, Fan+Top and Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom, Fan, Fan+Top and Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light
Oven equipment	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid
Oven fan	Yes	No	No	No	Yes	No	No
Removable door glass	Yes	Yes	Yes	Yes	Yes	No	No

## Dimension / Weight

Neto Dimension — W x H x D (cm) / Net Weight (kg)	60 x 85 x 65 cm / 36,4 kg	60 x 85 x 65 cm / 36,2 kg	60 x 85 x 65 cm / 36,2 kg	60 x 85 x 65 cm / 36,0 kg	60 x 85 x 65 cm / 36,2 kg	50 x 85 x 65 cm / 28,0 kg	50 x 85 x 65 cm / 29,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	66,5 x 89 x 70 cm / 37,0 kg	66,5 x 89 x 70 cm / 37,0 kg	66,5 x 89 x 70 cm / 37,0 kg	66,5 x 89 x 70 cm / 37,0 kg	66,5 x 89 x 70 cm / 37,0 kg	56,5 x 89 x 70 cm / 29,0 kg	56,5 x 89 x 70 cm / 30,0 kg

# Freestanding cookers



Model	FC-22602 WH	FC-04502 WH	FC-04502VCF WH	FC-04602 WH	FC-40602I WH	FC-40502I WH
-------	-------------	-------------	----------------	-------------	--------------	--------------

## Main Specifications

Hob type	2 gas + 2 electric hob	4 electric hob	4 electric hob	4 electric hob	4 x gas	4 x gas
Color / Material	White / Painted metal	White / Painted metal	White / Painted metal	White / Painted metal	White / Painted metal	White / Painted metal
Top cover	Yes	Yes	No	Yes	No	No
Energy efficiency (A-G)	A	A	A	A	A	A

## Stove technology

Pan support	Enameled iron	Enameled iron	Enameled iron	Enameled iron	Enameled iron	Enameled iron
Upper left hot plate power (W)	1500 W	1500 W	1800 W	1500 W	1700 W	1700 W
Lower left hot plate power (W)	1000 W	1000 W	1200 W	1000 W	2500 W	1700 W
Upper right hot plate power (W)	900 W	1000 W	1200 W	1000 W	1700 W	900 W
Lower right hot plate power (W)	2500 W	1500 W	1800 W	1500 W	900 W	2500 W

## Oven technology

Oven volume (L)	64 L	52 L	52 L	64 L	64 L	52 L
Low / Top heater power (W)	1300 W / 850 W	800 W / 650 W	800 W / 650 W	1300 W / 850 W	1300 W / 850 W	1300 W / 850 W
Number of cooking programs	3	3	5	3	3	3
Cooking programs	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom, Fan, Fan+Top and Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light	Top, Bottom, Top+Bottom heater, Light
Oven equipment	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid	Flat tray, Chrome grid
Oven fan	No	No	Yes	No	No	No
Removable door glass	Yes	No	No	Yes	Yes	Yes

## Dimension / Weight

Neto Dimension — W x H x D (cm) / Net Weight (kg)	60 x 85 x 65 cm / 37,0 kg	50 x 85 x 65 cm / 29,0 kg	50 x 85 x 65 cm / 28,0 kg	60 x 85 x 65 cm / 38,0 kg	60 x 85 x 65 cm / 36,0 kg	50 x 85 x 65 cm / 28,0 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	66,5 x 89 x 70 cm / 38,0 kg	56,5 x 89 x 70 cm / 30,0 kg	56,5 x 89 x 70 cm / 29,0 kg	66,5 x 89 x 70 cm / 39,0 kg	66,5 x 89 x 70 cm / 37,0 kg	56,5 x 89 x 70 cm / 29,0 kg



# Electric water heaters



Model	EWH-80VR	EWH-50VR
Net volume		
Capacity (L)	80 L	50 L
Technology		
Load profile (3 XS – XXL)	L	M
Heater power (W)	2000 W	2000 W
Average consumption (kWh/a annum)	2762 kWh/ annum	1421 kWh/ annum
Noise level during heater operation (dB)	15 dB	15 dB
Energy efficiency (A–G)	C	C
Noise (dB)	15 dB	15 dB
Quantity of mixed water 40 °C (L)	131 L	92 L
T out default / T max. thermostat	55 °C / 70 °C	55 °C / 70 °C
Characteristics		
Material / Color	Enameled / White	Enameled / White
Tank type	Enameled boiler	Enameled boiler
Installation	Vertical	Vertical
Rotary thermostat control	Yes	Yes
Additional characteristics	Anode against scaling on the walls and heater	Anode against scaling on the walls and heater
Dimension / Weight		
Neto Dimension — W x H x D (cm) / Net Weight (kg)	44 x 78 x 49 cm / 21,4 kg	44 x 55 x 44 cm / 19,5 kg
Bruto Dimension — W x H x D (cm) / Gross Weight (kg)	49 x 90 x 48 cm / 23,7 kg	19 x 65 x 48 cm / 27,6 kg



**M SAN Grupa d.o.o.**  
Exclusive distributor for Croatia

Dugoselska ulica 5  
10 372 Rugvica, Croatia  
T +385 1 3654 900  
E [vivax@msan.hr](mailto:vivax@msan.hr)  
[vivax.com](http://vivax.com)



**VIVAX PARTNER**